

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
-	2078	709/217.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:48
-	1	data adj (repository or base) near index\$ near (metadata or meta-data or meta adj data) and @pd<20010101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:14
-	776	709/202.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:15
-	3580	709/203.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:15
-	1137	709/218.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:15
-	1433	709/229.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:15
-	610	709/217.ccls. and @pd<20010101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 10:02
-	294	709/217.ccls. and @pd<20010101 and searc\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 10:02
-	9	709/217.ccls. and @pd<20010101 and searc\$ and metadata	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 10:08
-	117	index\$ and search\$ and gather and data and repository and locations and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 11:20
-	2	("5675785").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:03
-	0	web adj robot\$ and @pd<20020101 and (search and index) near content	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:06
-	31	web adj robot\$ and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 15:00
-	18960	("web crawler" "spider" "web robot") and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 15:01

-	0	("web crawler" "spider" "web robot") and @pd<20020101 and index\$ and search\$ and data adj (base or repository) and gather adj indexable adj metadata	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 15:02
-	33	("web crawler" "spider" "web robot") and @pd<20020101 and index\$ and search\$ and data adj (base or repository)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:58
-	1091	koster.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 16:55
-	961	koster.in. and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 10:06
-	0	koster.in. and @pd<20020101 and martijn	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 16:57
-	0	koster.in. and @pd<20020101 and crawler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 16:57
-	14	Bobby and @pd<20020101 and verif\$ and cast	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 10:12
-	99	Bobby and @pd<20020101 and verif\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 10:12
-	0	query adj website and settings and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 10:14
-	1	query near website and settin\$ and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 10:14
-	0	reading adj dynamic adj data and web	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 10:15
-	869	dynamic adj data and web	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 10:15
-	475	dynamic adj data and web and quer\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 10:16
-	104	dynamic adj data and web and quer\$ and @pd<20020101 and config\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 10:16

-	127	dynamic adj data and web and quer\$ and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 10:18
-	67	dynamic adj data and web and quer\$ and @pd<20010101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 10:30
-	875	web and @pd<20010101 and password and confi\$ and access	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 10:47
-	15	web and @pd<20010101 and password and confi\$ and access and robot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 10:31
-	8	web and @pd<20010101 and password and confi\$ and access and spider	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 10:47
-	0	web adj page near verif\$ and pars\$ and @pd<2001010	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 11:16
-	11	web adj page near verif\$ and pars\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 11:16
-	2	web adj page near verif\$ and pars\$ and @pd<20010101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 11:23
-	41	verif\$ adj web and @pd<20010101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 11:23
-	7	parsing adj web adj page and @pd<20010101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 15:28
-	317	determin\$ adj format and content and @pd<20010101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 15:29
-	5	determin\$ adj format and access adj content and @pd<20010101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 15:30
-	0	web and content adj parser and @pd<20010101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 15:30
-	0	web and content near \parser and @pd<20010101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 15:30

-	25	web and content near parse\$ and @pd<20010101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 15:37
-	1263	content near (parse\$ or format or access\$) and @pd<20010101 and determin\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 15:37
-	511	content adj (parse\$ or format or access\$) and @pd<20010101 and determin\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 15:38
-	9	content adj (parse\$ or format or access\$) and @pd<20010101 and determin\$ and parsers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 15:39
-	104	web adj page and content and determin\$ adj format	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 14:40
-	6	web adj page and content and determin\$ adj format and @pd<20010101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 15:39
-	59	web adj page and content and determin\$ adj format and media	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 14:41
-	8	web adj page and content and determin\$ adj format and media and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 14:42
-	1	pars\$ adj media and @pd<20020101 and web and format	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 14:43
-	1	pars\$ adj media and @pd<20020101 and web and format and file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 14:43
-	8	embedded adj file and ("multi-media" or "multi media") and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 14:46
-	19	embedded adj file and ("multi-media" or "multi media")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 14:44
-	7	web adj robot and media and video and audio and graph\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 14:46
-	1	web adj robot and media and video and audio and graph\$ and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 14:57

-	5	("meta data" or metadata) and multimedia adj format and pars\$ and content	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 14:58
-	125	multimedia adj format and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 15:55
-	125	multimedia adj format and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 15:57
-	6	(multimedia adj format or multi-media adj format) same (search or index or pars\$) and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:00
-	6	(multimedia adj format or multi-media adj format or multi near media adj format) same (search or index or pars\$) and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:01
-	0	pars\$ adj (many multi near media or multi or media) adj format and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:04
-	0	pars\$ adj (many multi) adj format and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:04
-	45	pars\$ adj format and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:04
-	16	pars\$ adj format and @pd<20020101 and media	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:38
-	0	index and password adj protec\$ and "web robot"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:39
-	0	index and password adj protec\$ and "web robot" and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:42
-	233	index and password adj protec\$ and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:42
-	17	index same password adj protec\$ and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:44
-	1	index near password adj protec\$ and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:42

-	858	web near page and password and @pd<20020101 and (index search categor\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:44
-	111	web near page and password adj protect\$ and @pd<20020101 and (index search categor\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:45
-	92	web near page and password adj protect\$ and @pd<20020101 and (index search)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:45
-	0	web near page and password adj protect\$ and @pd<20020101 and (index search categor\$) and "web robot"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:45
-	5	web near page and password adj protect\$ and @pd<20020101 and (index search categor\$) and "spider"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:48
-	61	web near page and password adj protect\$ and @pd<20020101 and (index search categor\$) and setting	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:49
-	28	web near page and password adj protect\$ and @pd<20020101 and (index search categor\$) and setting and index	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:51
-	16	configur\$ near password and access and index and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:53
-	0	@pd<20020101 and provided adj password same access and content and index	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:54
-	8	@pd<20020101 and provid\$ adj password same access and index	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:55
-	6	@pd<20020101 and provid\$ adj password same access and content and index	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:55
-	16	index\$ and search and password and "spider" and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 16:59
-	37	index\$ and search and "spider" and @pd<20020101 and (login or secure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 17:02
-	13	index\$ and search and "spider" and @pd<20020101 and (login)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 17:17

-	158	setting near password and access and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 17:19
-	1109350	setting or provid\$ near password and access and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 17:20
-	317	(setting or provid\$) near password and access and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 17:20
-	167	(provid\$) near password and access and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 17:20
-	99	(provid\$) near password and access and @pd<20020101 and config\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 17:20
-	1	(provid\$) near config\$ near password and access and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 17:21
-	0	"provided password to access"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 17:32
-	1005	address and password and web near page and @pd<20020101	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 17:32
-	241	address and password and web near page and @pd<20020101 and access and content and index	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 17:32
-	49	address and password and web near page and @pd<20020101 and access and content and index and config\$ adj file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 17:34
-	3	address and password and web near page near content and @pd<20020101 and access and index and config\$ adj file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 17:34
-	50	address and password and web near page and @pd<20020101 and access and index and config\$ adj file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 17:35
-	34	address same password and web near page and @pd<20020101 and access and index and config\$ adj file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 17:35
-	3190	707/10.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 09:54

-	2	("6263313").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/09 10:10
---	---	-----------------	---	---------------------